Printing date 09/15/2017

Reviewed on 09/15/2017

1 Identification

- **Product identifier** 1186
- · Trade name: 21133150 1186 KLEEN TECH CITRUS
- Manufacturer article number: 1186
- Application of the substance / the mixture Air Freshener.
- Details of the supplier of the safety data sheet (744)(9)
- Manufacturer/Supplier: Continental Commercial Products 11840 Westline Industrial Drive St. Louis, MO 63146 PH: 800-325-1051
- · Information department: Product Safety Deparment
- Emergency telephone number: PH: 800-325-1051

2 Hazard(s) identification

· Classification of the substance or mixture

GHS02 Flame

Flam. Aerosol 1 H222 Extremely flammable aerosol.

GHS04 Gas cylinder

Press. Gas H280 Contains gas under pressure; may explode if heated.

GHS07

| Eye Irrit. 2A | H319 Causes serious eye irritation. |
|---------------|---|
| Skin Sens. 1 | H317 May cause an allergic skin reaction. |
| STOT SE 3 | H336 May cause drowsiness or dizziness. |

· Label elements

· GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS). • *Hazard pictograms*



· Signal word Danger

Hazard-determining components of labeling: acetone
(R)-p-mentha-1,8-diene Linalool
Hazard statements
Extremely flammable aerosol.
Contains gas under pressure; may explode if heated.
Causes serious eye irritation.
May cause an allergic skin reaction.
May cause drowsiness or dizziness.

(Contd. on page 2)

⁻ US

Printing date 09/15/2017

Reviewed on 09/15/2017

Trade name: 21133150 - 1186 KLEEN TECH CITRUS

| D | (Contd. of page 1 |
|-----------------------------|--|
| Precautionary staten | |
| | /sparks/open flames/hot surfaces. No smoking. |
| | pen flame or other ignition source. |
| Do not pierce or burn | |
| | /fume/gas/mist/vapors/spray |
| Wash thoroughly after | |
| | in a well-ventilated area. |
| | lothing must not be allowed out of the workplace. |
| | es / eye protection / face protection. |
| IF ON SKIN: Wash w | |
| | ve person to fresh air and keep comfortable for breathing. |
| | tiously with water for several minutes. Remove contact lenses, if present and easy to do |
| Continue rinsing. | |
| | TER/doctor if you feel unwell. |
| Specific treatment (se | |
| | ish occurs: Get medical advice/attention. |
| | sts: Get medical advice/attention. |
| Wash contaminated of | |
| | ated place. Keep container tightly closed. |
| Store locked up. | |
| | Store in a well-ventilated place. |
| | . Do not expose to temperatures exceeding $50^{\circ}C/122^{\circ}F$. |
| | ontainer in accordance with local/regional/national/international regulations. |
| Classification system | |
| NFPA ratings (scale | 0 - 4) |
| Health | =] |
| 4 Fire = | |
| | vity = 1 |
| | |
| HMIS-ratings (scale | 0 - 4) |
| HEALTH 1 Healt | h = l |
| FIRE 4 Fire = | |
| REACTIVITY 1 React | • |
| REACTIVITY | <i>ivity</i> 1 |
| Other hazards | |
| Results of PBT and w | PvB assessment |
| PBT: Not applicable. | |
| vPvB: Not applicable | |
| | |

· Chemical characterization: Mixtures

• Description: Mixture of the substances listed below with nonhazardous additions.

| 67-64-1 acetone | 50-100% |
|----------------------------------|-----------|
| 75-28-5 isobutane | 10-25% |
| 74-98-6 propane | 2.5-<10% |
| 106-97-8 butane | 0.1-≤2.5% |
| 5989-27-5 (R)-p-mentha-1,8-diene | 0.1-<1% |
| 78-70-6 Linalool | 0.1-<1% |

(Contd. on page 3)

Printing date 09/15/2017

Reviewed on 09/15/2017

Trade name: 21133150 - 1186 KLEEN TECH CITRUS

(Contd. of page 2)

4 First-aid measures

· Description of first aid measures

- After inhalation:
- Supply fresh air and to be sure call for a doctor.
- In case of unconsciousness place patient stably in side position for transportation.
- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact:
- Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- *After swallowing: If symptoms persist consult doctor.*
- · Information for doctor:
- Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed

No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents:
- Use fire-extinguishing media appropriate for surrounding materials. Foam. Dry powder. Carbon dioxide. Water spray. Sand.
- Special hazards arising from the substance or mixture No further relevant information available.
- Advice for firefighters
- · Protective equipment: No special measures required.

6 Accidental release measures

- · Personal precautions, protective equipment and emergency procedures
- Wear protective equipment. Keep unprotected persons away.
- · Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- Methods and material for containment and cleaning up: Ensure adequate ventilation.
- · Reference to other sections
- See Section 7 for information on safe handling.
- See Section 8 for information on personal protection equipment.
- See Section 13 for disposal information.

· Protective Action Criteria for Chemicals

| PAC-1: | acetone | 200 ppm |
|-----------|------------------------|------------|
| | | |
| | isobutane | 5500* ppn |
| 74-98-6 | propane | 5500* ppn |
| 106-97-8 | butane | 5500* ppn |
| 5989-27-5 | (R)-p-mentha-1,8-diene | 15 ppm |
| 110-91-8 | morpholine | 30 ppm |
| 142-90-5 | dodecyl methacrylate | 6.9 ppm |
| 91-64-5 | Coumarin | 0.88 mg/m |
| PAC-2: | | |
| 67-64-1 | acetone | 3200* ppm |
| 75-28-5 | isobutane | 17000** pp |
| 74-98-6 | propane | 17000** pp |
| 106-97-8 | butane | 17000** pp |
| 5989-27-5 | (R)-p-mentha-1,8-diene | 67 ppm |
| 110-91-8 | morpholine | 1,300 ppm |

- US

Printing date 09/15/2017

Reviewed on 09/15/2017

Trade name: 21133150 - 1186 KLEEN TECH CITRUS

| | | (Contd. of page 3) |
|-----------|------------------------|--------------------|
| 142-90-5 | dodecyl methacrylate | 76 ppm |
| 91-64-5 | Coumarin | 9.7 mg/m3 |
| · PAC-3: | | |
| 67-64-1 | acetone | 5700* ppm |
| 75-28-5 | isobutane | 53000*** ppm |
| 74-98-6 | propane | 33000*** ppm |
| 106-97-8 | butane | 53000*** ppm |
| 5989-27-5 | (R)-p-mentha-1,8-diene | 170 ppm |
| 110-91-8 | morpholine | 8000** ppm |
| 142-90-5 | dodecyl methacrylate | 460 ppm |
| 91-64-5 | Coumarin | 58 mg/m3 |

7 Handling and storage

- · Handling:
- Precautions for safe handling No special precautions are necessary if used correctly.
- · Information about protection against explosions and fires:
- Do not spray on a naked flame or any incandescent material.
- Keep ignition sources away Do not smoke.

Pressurized container: protect from sunlight and do not expose to temperatures exceeding 50 °C, i.e. electric lights. Do not pierce or burn, even after use.

- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles:
- Observe official regulations on storing packagings with pressurized containers.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed.
- · Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

- Additional information about design of technical systems: No further data; see item 7.
- · Control parameters
- Components with limit values that require monitoring at the workplace:

The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit.

At this time, the other constituents have no known exposure limits.

67-64-1 acetone

PEL Long-term value: 2400 mg/m³, 1000 ppm

REL Long-term value: 590 mg/m³, 250 ppm

TLV Short-term value: 1187 mg/m³, 500 ppm Long-term value: 594 mg/m³, 250 ppm BEI

75-28-5 isobutane

TLV Short-term value: 2370 mg/m³, 1000 ppm (EX)

74-98-6 propane

PEL Long-term value: 1800 mg/m³, 1000 ppm

REL Long-term value: 1800 mg/m³, 1000 ppm

TLV refer to Appendix F inTLVs&BEIs book; D, EX

(Contd. on page 5)

US

(Contd. of page 4)

Safety Data Sheet acc. to OSHA HCS

Printing date 09/15/2017

Reviewed on 09/15/2017

Trade name: 21133150 - 1186 KLEEN TECH CITRUS

106-97-8 butane

- REL Long-term value: 1900 mg/m³, 800 ppm
- *TLV* Short-term value: 2370 mg/m³, 1000 ppm (EX)

· Ingredients with biological limit values:

67-64-1 acetone

BEI 50 mg/L

Medium: urine Time: end of shift

Parameter: Acetone (nonspecific)

• *Additional information:* The lists that were valid during the creation were used as basis.

- · Exposure controls
- · Personal protective equipment:

• General protective and hygienic measures: Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work. Avoid contact with the eyes.

- Avoid contact with the eyes and skin.
- Breathing equipment: Not required.
- Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

- Eye protection:
- Safety glasses



Tightly sealed goggles

| | sical and chemical properties | |
|---------------------|------------------------------------|--|
| General Information | | |
| Appearance: | | |
| Form: | Aerosol | |
| Color: | According to product specification | |
| Odor: | Characteristic | |

Printing date 09/15/2017

Reviewed on 09/15/2017

Trade name: 21133150 - 1186 KLEEN TECH CITRUS

| Odor threshold: | (Contd. of page : Not determined. |
|---------------------------------------|--|
| | |
| pH-value: | Not determined. |
| Change in condition | |
| Melting point/Melting range: | Undetermined. |
| Boiling point/Boiling range: | -44 °C (-47 °F) |
| Flash point: | < 0 °C (< 32 °F) |
| Flammability (solid, gaseous): | Not applicable. |
| Ignition temperature: | 460 °C (860 °F) |
| Decomposition temperature: | Not determined. |
| Auto igniting: | Product is not selfigniting. |
| Danger of explosion: | Product is not explosive. However, formation of explosive air/vapo mixtures are possible. |
| Explosion limits: | |
| Lower: | 1.8 Vol % |
| Upper: | 13.0 Vol % |
| Vapor pressure at 20 °C (68 °F): | 3000 hPa (2250 mm Hg) |
| Density: | Not determined. |
| Relative density | Not determined. |
| Vapor density | Not determined. |
| Evaporation rate | Not applicable. |
| Solubility in / Miscibility with | |
| Water: | Not miscible or difficult to mix. |
| Partition coefficient (n-octanol/wate | er): Not determined. |
| Viscosity: | |
| Dynamic: | Not determined. |
| Kinematic: | Not determined. |
| Solvent content: | |
| Organic solvents: | 84.6 % |
| VOC content: | 26.9 % |
| | 269.1 g/l / 2.25 lb/gl |
| Solids content: | 3.4 % |
| Other information | No further relevant information available. |

10 Stability and reactivity

• *Reactivity* No further relevant information available.

- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

(Contd. on page 7)

Printing date 09/15/2017

Reviewed on 09/15/2017

Trade name: 21133150 - 1186 KLEEN TECH CITRUS

(Contd. of page 6)

| | values that are relevant for classification: |
|--|---|
| 67-64-1 ac | |
| | D50 5800 mg/kg (rat) |
| | D50 20000 mg/kg (rabbit) |
| | (R)-p-mentha-1,8-diene |
| | D50 4400 mg/kg (rat) |
| | ritant effect: |
| • on the skin | n: No irritant effect. |
| | : Irritating effect. |
| | on: Sensitization possible through skin contact. |
| | toxicological information: |
| The produ | uct shows the following dangers according to internally approved calculation methods |
| preparatio | ns: |
| Irritant | |
| | |
| · Carcinoge | nic categories |
| · IARC (Int | |
| | ernational Agency for Research on Cancer) |
| | ernational Agency for Research on Cancer) (R)-p-mentha-1,8-diene |
| 5989-27-5 | |
| 5989-27-5 110-91-8 | (R)-p-mentha-1,8-diene |
| 5989-27-5 110-91-8 91-64-5 | (R)-p-mentha-1,8-diene morpholine |
| 5989-27-5 110-91-8 91-64-5 • NTP (Nati | (R)-p-mentha-1,8-diene morpholine Coumarin |
| 5989-27-5 110-91-8 91-64-5 • NTP (Natu None of th | (R)-p-mentha-1,8-diene morpholine Coumarin conal Toxicology Program) |
| 5989-27-5 110-91-8 91-64-5 • NTP (Nata None of th • OSHA-Ca | (R)-p-mentha-1,8-diene morpholine Coumarin conal Toxicology Program) e ingredients is listed. |
| 5989-27-5 110-91-8 91-64-5 • NTP (Nata None of th • OSHA-Ca | (R)-p-mentha-1,8-diene morpholine Coumarin ional Toxicology Program) e ingredients is listed. (Occupational Safety & Health Administration) |
| 5989-27-5 110-91-8 91-64-5 • NTP (Natu None of th • OSHA-Ca None of th | (R)-p-mentha-1,8-diene morpholine Coumarin ional Toxicology Program) e ingredients is listed. (Occupational Safety & Health Administration) |

- · Bioaccumulative potential No further relevant information available.
- *Mobility in soil* No further relevant information available.
- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- · vPvB: Not applicable.
- Other adverse effects No further relevant information available.

13 Disposal considerations

- · Uncleaned packagings:
- Recommendation: Disposal must be made according to official regulations.

(Contd. on page 8)

US

Printing date 09/15/2017

Reviewed on 09/15/2017

Trade name: 21133150 - 1186 KLEEN TECH CITRUS

(Contd. of page 7)

US

| UN-Number | |
|--|--|
| DOT, IMDG, IATA | UN1950 |
| UN proper shipping name | |
| DOT | Aerosols, flammable |
| IMDG IATA | AEROSOLS AEROSOLS flammable |
| | AEROSOLS, flammable |
| Transport hazard class(es) | |
| DOT | |
| | |
| R AMMABLE GAS | |
| 2 | |
| Class | 2.1 |
| Label | 2.1 |
| IMDG, IATA | |
| | |
| | |
| 2 | |
| | 2.1 |
| Class Label | 2.1 2.1 |
| | 2.1 |
| Packing group DOT, IMDG, IATA | not regulated |
| | постедицией |
| Environmental hazards: Marine pollutant: | No |
| | |
| Special precautions for user Danger code (Kemler): | Warning: Gases |
| EMS Number: | <i>F-D,S-U</i> |
| Stowage Code | SW1 Protected from sources of heat. |
| | SW22 For AEROSOLS with a maximum capacity of 1 litr |
| | Category A. For AEROSOLS with a capacity above 1 litr |
| | Category B. For WASTE AEROSOLS: Category C, Clear living quarters. |
| Segregation Code | SG69 For AEROSOLS with a maximum capacity of 1 litr |
| | Segregation as for class 9. Stow "separated from" class 1 exce |
| | for division 1.4. For AEROSOLS with a capacity above 1 litr |
| | Segregation as for the appropriate subdivision of class 2. F |
| | WASTE AEROSOLS: Segregation as for the appropria subdivision of class 2. |
| Tuanonout in bull accounting to Amount | |
| Transport in bulk according to Annex I MARPOL73/78 and the IBC Code | <i>Not applicable.</i> |
| Transport/Additional information: | ** |
| | |
| DOT Quantity limitations | On passenger aircraft/rail: 75 kg |
| Zaunary umaatons | On cargo aircraft only: 150 kg |
| IMDG | |
| Limited quantities (LQ) | 1L |
| Excepted quantities (EQ) | Code: E0 |
| | Not permitted as Excepted Quantity |

(Contd. of page 8)

Safety Data Sheet acc. to OSHA HCS

Printing date 09/15/2017

*

Reviewed on 09/15/2017

Trade name: 21133150 - 1186 KLEEN TECH CITRUS

• UN "Model Regulation":

UN 1950 AEROSOLS, 2.1

15 Regulatory information

| Section 355 | (extremely hazardous substances): | |
|-------------|---|--|
| None of the | ingredients is listed. | |
| Section 313 | (Specific toxic chemical listings): | |
| None of the | ingredients is listed. | |
| TSCA (Tox | ic Substances Control Act): | |
| | acetone | |
| 75-28-5 | isobutane | |
| 74-98-6 | propane | |
| 106-97-8 | butane | |
| 25265-71-8 | oxydipropanol | |
| 5989-27-5 | (R)-p-mentha-1,8-diene | |
| 78-70-6 | Linalool | |
| 110-91-8 | morpholine | |
| 142-90-5 | dodecyl methacrylate | |
| 5392-40-5 | Citral | |
| 106-22-9 | Citronellol | |
| 106-24-1 | Geraniol | |
| 91-64-5 | Coumarin | |
| Proposition | 65 | |
| Chemicals I | known to cause cancer: | |
| None of the | ingredients is listed. | |
| Chemicals I | nown to cause reproductive toxicity for females: | |
| None of the | ingredients is listed. | |
| Chemicals I | known to cause reproductive toxicity for males: | |
| | ingredients is listed. | |
| Chemicals I | known to cause developmental toxicity: | |
| | ingredients is listed. | |
| Canainagan | ic categories | |
| | onmental Protection Agency) | |
| 67-64-1 ace | | |
| | | |
| 67-64-1 a | hold Limit Value established by ACGIH) | |
| | | |
| 110-91-8 m | | |
| | (National Institute for Occupational Safety and Health) ingredients is listed. | |

(Contd. on page 10)

Printing date 09/15/2017

Reviewed on 09/15/2017

Trade name: 21133150 - 1186 KLEEN TECH CITRUS (Contd. of page 9) · Hazard pictograms GHS02 GHS04 GHS07 · Signal word Danger · Hazard-determining components of labeling: acetone (R)-p-mentha-1,8-diene Linalool · Hazard statements Extremely flammable aerosol. Contains gas under pressure; may explode if heated. Causes serious eye irritation. May cause an allergic skin reaction. May cause drowsiness or dizziness. · Precautionary statements Keep away from heat/sparks/open flames/hot surfaces. No smoking. Do not spray on an open flame or other ignition source. Do not pierce or burn, even after use. Avoid breathing dust/fume/gas/mist/vapors/spray Wash thoroughly after handling. Use only outdoors or in a well-ventilated area. Contaminated work clothing must not be allowed out of the workplace. Wear protective gloves / eye protection / face protection. IF ON SKIN: Wash with plenty of water. IF INHALED: Remove person to fresh air and keep comfortable for breathing. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Call a POISON CENTER/doctor if you feel unwell. Specific treatment (see on this label). If skin irritation or rash occurs: Get medical advice/attention. If eye irritation persists: Get medical advice/attention. Wash contaminated clothing before reuse. Store in a well-ventilated place. Keep container tightly closed. Store locked up. Protect from sunlight. Store in a well-ventilated place. Protect from sunlight. Do not expose to temperatures exceeding 50°C/122°F. Dispose of contents/container in accordance with local/regional/national/international regulations. · Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Department issuing SDS: Product Safety Department
- · Contact: PH: 800-325-1051
- · Date of preparation / last revision 09/15/2017 / 8

· Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

- DOT: US Department of Transportation
- IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

(Contd. on page 11)

[·] US

Printing date 09/15/2017

Reviewed on 09/15/2017

Trade name: 21133150 - 1186 KLEEN TECH CITRUS

| | (Contd. of page 10) |
|--|---------------------|
| CAS: Chemical Abstracts Service (division of the American Chemical Society) | (IC / |
| NFPA: National Fire Protection Association (USA) | |
| HMIS: Hazardous Materials Identification System (USA) | |
| VOC: Volatile Organic Compounds (USA, EU) | |
| LC50: Lethal concentration, 50 percent | |
| LD50: Lethal dose, 50 percent | |
| PBT: Persistent, Bioaccumulative and Toxic | |
| vPvB: very Persistent and very Bioaccumulative | |
| NIOSH: National Institute for Occupational Safety | |
| OSHA: Occupational Safety & Health | |
| TLV: Threshold Limit Value | |
| PEL: Permissible Exposure Limit | |
| REL: Recommended Exposure Limit | |
| BEI: Biological Exposure Limit | |
| Flam. Aerosol 1: Aerosols – Category 1 | |
| Press. Gas: Gases under pressure – Compressed gas | |
| Eye Irrit. 2A: Serious eye damage/eye irritation – Category 2A | |
| Skin Sens. 1: Skin sensitisation – Category 1 | |
| STOT SE 3: Specific target organ toxicity (single exposure) – Category 3 | |
| · Sources | |
| Additional Information Section 11 and Section 15 | |
| "According to IARC Morpholine is not classifiable as to its carcinogenicity to humans (Gre | oup 3). |
| IARC (1989) IARC Monographs on the Evaluation of Carcinogenic Risks to Humans, Vol. | |
| Some Organic Solvents, Resin Monomers and Related Compounds, Pigments and Occupati | onal |
| Exposures in Paint Manufacture and Painting, Lyon, pp. 199–213" | |
| ** Data compared to the previous version altered. | |
| Duta comparea to the previous version atterea. | U |